


SPECIFICATIONS:


1. GENERAL:
 - 1.1 PROVIDES EIGHT CONFIGURABLE MECHANICAL COIL INPUTS
2. ELECTRICAL:
 - 2.1 INPUT POWER: 9 - 30VDC
 - 2.2 RELAYS: COILS RATED FOR 120VAC
 - 2.3 DIGITAL CONTROL VIA 3PS DATA NETWORK
3. ENVIRONMENTAL:
 - 3.1 OPERATIONAL TEMPERATURE: -40 TO +65°C
 - 3.2 PROTECTION: INDOOR USE ONLY. TO BE INSTALLED IN A NEMA 4X, IP66 WATER TIGHT ENCLOSURE
 - 3.3 CAUTION: SAFE AREA USE ONLY
4. MECHANICAL:
 - 4.1 POLYCARBONATE PLASTIC HOUSING.

PIN OUT FOR 3PSNet IN & 3PSNet OUT




NOT TO SCALE

REVISIONS			APPROVED	DATE
REV	DESCRIPTION		K CORPORON	03/24/14
B	INITIAL RELEASE		R CHISM	12/2/14
C	REV PER ECO 3041			



35mm DIN RAIL



SPECIFICATION CONTROL DRAWING

EXPORT COMPLIANCE: TRANSFER OF 3PS DATA DOCUMENTS, SOFTWARE, DRAWINGS, SPEC EQUIPMENT, AND/OR SERVICE TO FOREIGN PERSONS OR ENTITIES IS PROHIBITED IN THE UNITED STATES OR ABROAD. MAY REQUIRE U.S. GOVERNMENT AUTHORIZATION.

©2013 BY 3PS, INC.
THIS DOCUMENT MAY NOT BE COPIED OR REPRODUCED IN ANY WAY WITHOUT THE WRITTEN CONSENT OF 3PS, INC. S. UNDER THE COPYRIGHT LAWS AS A PUBLISHED WORK.



TOLERANCES (UNLESS OTHERWISE SPECIFIED)	
HOLE:	+0.06
DECIMAL:	.XXX ± 0.05
DECIMAL:	.XXX ± 0.1
ANGLE:	± .1°
SURFACE FINISH:	125
ROUNDTINES:	✓

REMOVE ALL BURRS FROM REWORK SURFACES CORNER RADIUS .015 MAX.

DRAWN	P BROWN	1/22/2014
CHECKED	K CORPORON	1/22/2014
RELEASED	P BROWN	1/22/2014

SENSORS SYSTEMS SERVICES
3PS Inc.
 1300 Arrow Point Dr.
 Cedar Park, TX
 A PASON COMPANY

RELAY COIL MODULE, 8 X 120VAC

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES. MILLIMETERS IN BRACKETS.			
DIMENSIONAL LIMITS APPLY AFTER FINISH PLANING.			
SIZE	CAGE CODE	DRAWING NO	REV
C	1MHK2	RLM02-002	C
SCALE	1'-1"	DO NOT SCALE DRAWING	SHEET
			1 OF 1